

§ 250.523

30 CFR Ch. II (7–1–12 Edition)

When . . .	you must repeat diagnostic testing . . .
(a) your casing pressure request approved term has expired,	immediately.
(b) your well, previously on gas lift, has been shut-in or returned to flowing status without gas lift for more than 180 days,	immediately on the production casing (A annulus). The production casing (A annulus) of wells on active gas lift are exempt from diagnostic testing.
(c) your casing pressure request becomes invalid,	within 30 days.
(d) a casing or riser has an increase in pressure greater than 200 psig over the previous casing diagnostic test,	within 30 days.
(e) after any corrective action has been taken to remediate undesirable casing pressure, either as a result of a casing pressure request denial or any other action,	within 30 days.
(f) your fixed platform well production casing (A annulus) has pressure exceeding 10 percent of its minimum internal yield pressure (MIYP), except for production casings on active gas lift,	once per year, not to exceed 12 months between tests.
(g) your fixed platform well's outer casing (B, C, D, <i>etc.</i> , annuli) has a pressure exceeding 20 percent of its MIYP,	once every 5 years, at a minimum.

§ 250.523 How long do I keep records of casing pressure and diagnostic tests?

Records of casing pressure and diagnostic tests must be kept at the field office nearest the well for a minimum of 2 years. The last casing diagnostic test for each casing or riser must be retained at the field office nearest the well until the well is abandoned.

§ 250.524 When am I required to take action from my casing diagnostic test?

You must take action if you have any of the following conditions:

- (a) Any fixed platform well with a casing pressure exceeding its maximum allowable wellhead operating pressure (MAWOP);
- (b) Any fixed platform well with a casing pressure that is greater than 100 psig and that cannot bleed to 0 psig through a ½-inch needle valve within

24 hours, or is not bled to 0 psig during a casing diagnostic test;

(c) Any well that has demonstrated tubing/casing, tubing/riser, casing/casing, riser/casing, or riser/riser communication;

(d) Any well that has sustained casing pressure (SCP) and is bled down to prevent it from exceeding its MAWOP, except during initial startup operations described in § 250.521;

(e) Any hybrid well with casing or riser pressure exceeding 100 psig; or

(f) Any subsea well with a casing pressure 100 psig greater than the external hydrostatic pressure at the subsea wellhead.

§ 250.525 What do I submit if my casing diagnostic test requires action?

Within 14 days after you perform a casing diagnostic test requiring action under § 250.524:

You must submit either . . .	to the appropriate . . .	and it must include . . .	You must also . . .
(a) a notification of corrective action; or,	District Manager and copy the Regional Supervisor, Field Operations,	requirements under § 250.526,	submit an Application for Permit to Modify or Corrective Action Plan within 30 days of the diagnostic test.
(b) a casing pressure request,	Regional Supervisor, Field Operations,	requirements under § 250.527.	

§ 250.526 What must I include in my notification of corrective action?

The following information must be included in the notification of corrective action:

- (a) Lessee or Operator name;
- (b) Area name and OCS block number;

- (c) Well name and API number; and
- (d) Casing diagnostic test data.

§ 250.527 What must I include in my casing pressure request?

The following information must be included in the casing pressure request:

- (a) API number;